

FLITTER

ALUMINIUM POWDER

Trade Mark: FF33

Characteristics	UOM	Test Method	Specification
<u>Sieve analysis:</u> Residue on sieve 150µm	%	M/QA/SOP/003	15 max
Residue on sieve 45µm	%	M/QA/SOP/003	80 – 95
Volatile Matter	%	M/QA/SOP/017	1 max
Leafing power	%	M/QA/SOP/018	Nil
Matter soluble in organic solvent	%	M/QA/SOP/006	1 – 4

* M/QA/SOP/003, M/QA/SOP/017, M/QA/SOP/006 are based on ISO-1247.

FF 33 Flitter Non Leafing Aluminium Powder platelets in shape, for applications like Chrome finish decorative dustings and coatings, Plastic coatings, Plastic master batches, Powder coatings, Textile coatings etc.

The data on this technical information sheet correspond with the current status of our knowledge and experience. The liability for the application and processing of our products lies with the buyer, and he is also responsible for observing any third party rights. We reserve the right to alter any product data as a result of technical progress or further developments in the manufacturing process.

MEPCO

Thirumangalam,
Madurai
PIN: 625706
Tamilnadu, India
Phone: + 91 4549 280599
Fax: +91 4549 281273

E-mail: info@mepco.co.in
Web: www.mepco.co.in

Edition: 02.01.2023
Page 1 of 1